


**SAFETY DATA SHEET**  
(Complies with 29 CFR 1910.1200 GHS standard)**SECTION I - IDENTIFICATION**

**MAG-IT, LLC**  
**PO Box 1931**  
**Simpsonville, SC 29681**  
**864-963-7034**

PRODUCT NAME: Super 7  
 PRODUCT CODE: 200  
 CHEMICAL NAME: N/A  
 CAS #: N/A  
 MIXTURE (X) SINGLE SUBSTANCE ( )

**SECTION II – HAZARD IDENTIFICATION****IRRITANT****NFPA:** Health – 2, Flammability – 0, Reactivity – 0, Special - none**SECTION III – COMPOSITION AND INGREDIENT INFORMATION**

MATERIAL OR COMPONENT	%	CAS #	HAZARD DATA
Sodium Hydroxide	2.0 - 10.0	1310-73-2	2 mg/m <sup>3</sup> NIOSH
Silicic Acid	1.0 – 5.0	1344-09-8	600 mg/Kg (Oral) (as 100% Silicic Acid)
2-Butoxyethanol	2.0 – 10.0	11-76-2	97 mg/M <sup>3</sup> (ACGIH TWA) (as 100% 2-butoxyethanol)

**SECTION IV – FIRST AID MEASURES**

Inhalation: Immediately remove victim to breath fresh air, provide oxygen if is necessary.

Contact: Eyes.- Immediately flush eyes with plenty of cool water for at least 15 minutes. Get medical attention immediately.  
 Skin.- Immediately flush skin with plenty of soap and water, rinse with water while removing contaminated clothing.  
 Wash contaminated clothing before reuse.

Ingestion: Do not induce vomiting. If victim is conscious and able to swallow, promptly have victim drink large amounts of water to dilute, followed by two glasses of milk. Never give anything by mouth if the victim is unconscious or having convulsions. Call a physician immediately.

**SECTION V – FIRE FIGHTING MEASURES**

FLASH POINT (METHOD USED): >200°F estimated  
 FLAMMABILITY LIMITS: LEL UEL  
 EXTINGUISHING MEDIA: Water Fog, Dry Chemical or Alcohol Foam  
 SPECIAL FIRE FIGHTING PROCEDURES: None  
 UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

SPILL RESPONSE PROCEDURES: Small spills may be neutralized and flushed into the sewer. Large spills should be contained by dikes and absorbed on appropriate media and/or collected in suitable containers.

**SECTION VII – HANDLING AND STORAGE**

HYGIENE PRACTICES IN HANDLING AND STORAGE: Store in a cool, dry, well ventilated area.

OTHER PRECAUTIONS: None

**SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION**

EYE PROTECTION: Glasses and Goggles  
 RESPIRATORY PROTECTION: None required  
 SKIN PROTECTION: Rubber or vinyl gloves and ordinary clothing for exposed skin.  
 OTHER PROTECTION: None

VENTILATION RECOMMENDATION: Avoid use in confined spaces. Under normal conditions, typical mechanical ventilation in commercial buildings should be adequate.

**SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT: >212°F  
 SPECIFIC GRAVITY: 1.100  
 VAPOR PRESSURE: N/A  
 PERCENT VOLATILE BY VOLUME: >60%  
 VAPOR DENSITY: N/A  
 EVAPORATION RATE (Butyl Acetate = 1): N/A  
 SOLUBILITY IN WATER: Complete  
 APPEARANCE AND ODOR: Clear green liquid with mild odor.  
 pH AS RECEIVED: 12.0 – 12.5

**SECTION X – STABILITY AND REACTIVITY**

STABILITY:                      STABLE: X                      UNSTABLE:

CONDITIONS TO AVOID: None

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid contact with strongly acidic products, Chlorine, active metals and powder metal. Do not mix with liquid bleach

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition by fire may produce carbon monoxide.

HAZARDOUS POLYMERIZATION MAY OCCUR:                      WILL NOT OCCUR: X

**SECTION XI – TOXICOLOGICAL INFORMATION**

THRESHOLD LIMIT VALUE: 2 mg/m<sup>3</sup> NIOSH (as 100% Sodium Hydroxide)

**SECTION XII – ECOLOGICAL INFORMATION**

Toxicity and Aquatic Toxicity: NA

**SECTION XIII – DISPOSAL CONSIDERATIONS**

Stop spill immediately, isolate the area, contain spilled material. Neutralize to pH 7.0 with mild alkaline and collect using (sand). Transfer to secure containers. Wash the area with soap and water, rinse with water to eliminate residues.

WASTE DISPOSAL METHOD: All chemical spills should be disposed as per federal, state and local laws and regulations. In most cases, spills of this material collected or absorbed should be acceptable for ordinary sanitary land filling.

**SECTION XIV – TRANSPORT INFORMATION**

DOT Corrosive  
 UN 1760, Corrosive Liquid, NOS (contains Sodium Hydroxide), 8, III  
 ERG #154

**SECTION XV – REGULATORY INFORMATION**

Formulated Cleaning Chemical – Not Regulated

**SECTION XVI – OTHER INFORMATION**

The information presented herein is believed to be factual as it has been derived from the works and opinions of persons believed to be experts; however, nothing contained in this information is to be taken as a warranty or representation for which MAG-IT, LLC bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

The information and recommendations contained herein are to the best of MAG-IT, LLC's knowledge and belief, accurate and reliable as of the date issued. However, it is the user's responsibility to determine the safety, toxicity, and suitability for their use of the product described herein. Since the actual use of this product is beyond the control of MAG-IT, LLC, no guarantee, expressed or implied, is made by MAG-IT, LLC.

PREPARED BY: Dwayne Grassie

DATE: 26 January 2016  
 SUPERSEDES: 16 July 2014

**MAG-IT, LLC**  
**PO Box 1931**  
**Simpsonville, SC 29681**  
**864-963-7034**

